Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	11732	(707/1-3,100-102,205).CCLS.	USPAT; USOCR	OR	OFF	2007/03/27 18:26
L18	739	16 and (available with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:40
L19	205	18 and (assign\$3 or allocat\$3) with index\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 19:08
L20	128	19 and (request or query) with "indexes"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:38
L21	1	20 and (request or query) near (number near indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:38
L22	0	20 and query with "count parameter"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:35
L23	0	20 and "count parameter"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:35
L24	2	20 and "count variable"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:35

L25	85	19 and (request or query) near2	US-PGPUB;	OR	ON	2007/03/27 19:07
		"indexes"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L27	54	25 and (number near2 indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 19:06
L28	8	27 and (available adj2 index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:40
L29	53 .	25 and (number adj2 indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 19:07
L30	74	19 and (request or query) adj2 "indexes"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 19:07
L31	49	30 and (number adj2 indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 19:07
L33	6	31 and (assign\$3 or allocat\$3) adj index\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 19:08
S1	14874	(identify\$3 with index\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:48

					1	
S2	562	S1 and (index\$2 with resources)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:48
S3	215	S2 and (assign\$3 or allocat\$3) with index\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:28
S4	95	S3 and (index\$2 with manag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 11:40
S5	84	S4 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:54
S7	80	S5 and (table or routing or switch\$3 or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:55
S8	52 ·	S7 and (search\$3 or query\$3) with index\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:56
S10	. 21	S8 and network with resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:59
S11	74	S4 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/07/10 11:40

S12	12	S11 and (network with resources)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/07/12 15:09
S19	2180	manag\$3 near3 indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:20
S20	48	S19 and (manipulat\$3 with indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:54
S21		S20 and (network near3 resources)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:21
S22	2	S20 and (network with resources)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:22
S23	46	S20 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:22
S24	28	S23 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/07/12 15:23
S25	. 4	"10159360"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:26

S26	0	"10159360".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 15:27
S28	3840	(manipulat\$3 with ("indexes" or indice\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/07/12 16:19
S29	72	S28 and (network with resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 16:19
S30	3	S29 and (requesting or querying or input) same manipulat\$3 same index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 16:26
S31	69	S29 not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 16:36
S32	2	S31 and (allocat\$3 or deallocat\$3) with (indexes or indices)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 16:30
S33	8	S31 and (assign\$3) with (indexes or indices)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 16:30
S34	61	S31 not S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 16:36

S35	7	S34 and ("indexes" with resources)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 16:50
S36	497	("indexes" near3 database) and ("indexes" with resources)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 16:50
S37	256	S36 and (request or query) with "indexes"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:29
S38	18	S37 and (resource with manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 16:51
S39	8486	("indexes" near3 database) and ("indexes" wih resources)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/07/17 12:43
S40	2558	S39 and (request or query) with "indexes"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 12:43
S41	31	S40 and (resource near manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:45
S42	137	"indexes" same (resource near manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:45

S43	3	S42 and (manipulat\$3 with indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:49
S44	2	"indexes" near (resource near manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:49
S45	1283	"indexes" and (resource near manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:51
S46	4	S45 and (unavailable or unallocated) with indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 16:22
S47	4142	(identify\$3 or specify\$3) near indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:53
S48	45	S47 and (index near manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 15:53
S50	30	S48 and (request or query) near indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 16:21
S51	851	manag\$3 near "indexes"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 16:22

						
S52	75	S47 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 16:22
S53	4	S52 and (unavailable or unallocated) with indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 16:33
S54	2	S52 and (prevent same duplicate same indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 16:35
S55	7	S47 and (prevent same duplicate same indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 16:38
S56	25	S52 and (available with indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 19:24
S57	285	(indexes with network with components)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 19:24
S58	47	S57 same (table or (routing with component) or switch\$3 or (signal with transfer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/07/17 19:27
S59	5	S58 and (identify\$3 or specify\$3) with indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/17 19:27

S61	535	(allocat\$ or deallocat\$3) adj indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:31
S62	84	S61 and (index or resource) with manager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:32
S63	17	S62 and (network with resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/18 14:32
S65	4136	prevent same indexes same modif\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:39
S66	513	prevent same indexes with modif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:40
S67	99	prevent with indexes with modif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:45
S68	1	S67 and (identify\$3 adj indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:42
S69	6	S67 and (identify\$3 with indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:42

					•	
S70	12	prevent with indexes near modif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:47
S71	0	prohibit with indexes near modif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:51
S72	34	indexes near unmodif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2006/07/19 18:51
S73	. 4	S72 and (identif\$7 with indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:50
S74	0	prevent with indexes near unmodif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:51
S75	0	prevent same indexes near unmodif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:51
S76	0	prohibit same indexes near modif\$6	US-PGPUB; USPAT; USOCR;	OR	ON	2006/07/19 18:52
			EPO; JPO; DERWENT; IBM_TDB			
S78	1	preclude same indexes near modif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:54

			-			
S79	1	stop with indexes near modif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 18:56
S80	3	inhibit with indexes near modif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 19:15
S81	154	in\$use with indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/07/19 19:43
S82	34	S81 and (available with indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/07/19 19:26
S83	14	S82 and flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 19:26
S84	8	in\$use with flag with indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 19:43
S85	1	("6725223").PN.	USPAT; USOCR	OR	OFF	2006/07/19 20:31
S86	634	("count value" or "count parameter") with indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 20:32
S87	79	("count value" or "count parameter") near indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/03/27 12:27

				1	1	1
S88	28	S87 and (identif\$7 with indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 20:37
S89	25	S88 and (number with indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 20:48
S90	21	(request or query) near (number with indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/19 20:49
S91	52	(request or query) near (number near indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:30
S92	0	("count value" or "count parameter") near (number adj indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:41
S93	. 15	("count value" or "count parameter") same (number adj indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:42
594	5	query near ("count value" or "count parameter")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:35
S95	0	index near ("count value" or "count parameter") same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:35

S96	5	index with ("count value" or "count parameter") same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:42
S97	3	query with ("count value" or "count parameter") same index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:48
S98	55	("count value" or "count parameter") adj index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/07/20 10:49
S99	39	S98 and (number with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR -	ON	2006/07/20 10:49
S10 1	5	S99 and (provid\$3 with ("count value" or "count parameter"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/07/20 10:50
S10 2	0	("count value" or "count parameter") near (number adj indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:41
S10 3	15	("count value" or "count parameter") same (number adj indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 18:15
S10 4		request\$2 with (number adj indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 18:19

S10 5	10	request\$2 near2 (number adj indexes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 18:20
S10 6	369	("count value" or "count parameter") near4 indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 12:27
S10 8	2	S106 same ((available with index\$2) or (allocat\$3 with index\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 12:30
S10 9	369	("count value" or "count parameter") near4 indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/27 16:44
S11 0	38	S109 and ((available with index\$2) or (allocat\$3 with index\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 16:06
S11 1	0	query near3 ("count value" or "count parameter") near4 indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 16:45
S11 2	0	query near ("count value" or "count parameter") near4 indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 16:45
S11 3	0	query with ("count value" or "count parameter") near4 indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 16:45

S11 4	1	query with ("count value" or "count parameter") with indexes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 16:46
S11 5	11	query with "count parameter"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 18:31
S11 6	0	query with "count parameter" same index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/27 16:46